

American Journal of Physiology: Gastrointestinal and Liver Physiology

No. 1. JANUARY 1993

INVITED REVIEW

Effects of aging on intestinal lipid absorption <i>P. R. Holt and J. A. Balint</i>	G1
<hr/>	
Release of nitric oxide by activation of nonadrenergic noncholinergic neurons of internal anal sphincter <i>S. Chakder and S. Rattan</i>	G7
Characterization of an apical sodium conductance in rabbit cecum <i>J. H. Sellin, A. Hall, E. J. Cragoe, Jr., and W. P. Dubinsky</i>	G13
Regulation of secretion of pancreatic spasmolytic polypeptide from porcine pancreas <i>T. N. Rasmussen, H. Harling, L. Thim, S. Pierzynowski, B. R. Weström, and J. J. Holst</i>	G22
Interleukin-1 β modulation of norepinephrine release from rat myenteric nerves <i>S. Hurst and S. M. Collins</i>	G30
Na ⁺ -independent multispecific anion transporter mediates active transport of pravastatin into rat liver <i>M. Yamazaki, H. Suzuki, M. Hanano, T. Tokui, T. Komai, and Y. Sugiyama</i>	G36
Characterization of a distinct Na ⁺ -H ⁺ exchanger in basolateral membranes of human jejunum <i>S. Acra, W. Dykes, W. Nylander, and F. K. Ghishan</i>	G45
Calcium mediates gastrin-induced gastric histamine release in the rat <i>A. K. Sandvik, E. Brenna, and H. L. Waldum</i>	G51
Preepithelial mucus-HCO ₃ ⁻ layer protects against intracellular acidosis in acid-exposed gastric mucosa <i>T. Kiviluoto, M. Ahonen, N. Bäck, O. Häppölä, H. Mustonen, H. Paimela, and E. Kivilaakso</i>	G57
Selective accumulation of methylene blue by interstitial cells of Cajal in canine colon <i>L. W. C. Liu, L. Thuneberg, E. E. Daniel, and J. D. Huizinga</i>	G64
Histamine receptors on submucous neurons in guinea pig colon <i>T. Frieling, H. J. Cooke, and J. D. Wood</i>	G74
Pharmacological basis of contractile effects of peptidoleukotrienes on rabbit colonic muscularis mucosae <i>W. H. Percy, M. B. Burton, W. R. Glaws, K. Rose, and R. Burakoff</i>	G81
Cholera toxin-sensitive neurons in guinea pig submucosal plexus <i>M.-M. Jiang, A. Kirchgessner, M. D. Gershon, and A. Surprenant</i>	G86
Activation of activating protein 1 during hepatic acute phase response <i>M. Hattori, A. Tugores, J. K. Westwick, L. Veloz, H. L. Leffert, M. Karin, and D. A. Brenner</i>	G95
Induction of epithelial arachidonate 12-lipoxygenase at active sites of inflammatory bowel disease <i>V. R. Shannon, W. F. Stenson, and M. J. Holtzman</i>	G104
Lactoferrin interferes with uptake of iron from transferrin and asialotransferrin by the rat liver <i>W.-L. Hu, E. Regoeczi, P. A. Chindemi, and M. Bolyos</i>	G112
Stimulation of Cl ⁻ and HCO ₃ ⁻ secretion by intramural cholinergic neurons in guinea pig antrum in vitro <i>A. G. Suzuki, J.-I. Kameyama, M. Tsukamoto, K. Kaneko, and Y. Suzuki</i>	G118
HCO ₃ ⁻ reduces paracellular permeability of guinea pig duodenal mucosa by a Ca ²⁺ (prostaglandin)-dependent action <i>H. J. Macherey, G. Sprakties, and K.-U. Petersen</i>	G126
ATP-sensitive potassium transport by pancreatic secretory granule membrane <i>K. W. Gasser and J. R. Holda</i>	G137

Ischemia-reperfusion in feline small intestine: a role for nitric oxide <i>P. Kubes</i>	G143
Protection against alkali injury to rabbit esophagus by CO ₂ inhalation <i>R. L. Meyers, L. Glenn, and R. C. Orlando</i>	G150
Lipocytes from fibrotic rat liver have an impaired feedback response to procollagen propeptides <i>H. Ikeda, G. Y. Wu, and C. H. Wu</i>	G157
Formation, absorption, and biotransformation of Δ^6 -lithocholenic acid in humans <i>M. Malavolti, H. Fromm, E. Nsien, K. D. R. Setchell, M. B. Albert, B. Cohen, and S. Ceryak</i>	G163

RAPID COMMUNICATION

Comparison of receptors for <i>Escherichia coli</i> heat-stable enterotoxin: novel receptor present in IEC-6 cells <i>E. A. Mann, M. B. Cohen, and R. A. Giannella</i>	G172
---	------

No. 2. FEBRUARY 1993

BRIEF REVIEW

Regulation of intestinal epithelial proliferation: a few answers, many questions <i>D. K. Podolsky</i>	G179
---	------

Pathway of insulin in pancreatic tissue on its release by the B-cell <i>M. Bendayan</i>	G187
Dual effects of cisapride on gastric emptying and antropyloroduodenal motility <i>R. Fraser, M. Horowitz, A. Maddox, and J. Dent</i>	G195
Mucosal stimulation evokes vasodilation in submucosal arterioles by neuronal and nonneuronal mechanisms <i>S. Vanner, M.-M. Jiang, and A. Surprenant</i>	G202
Swallowing and upper esophageal sphincter contraction with transcranial magnetic-induced electrical stimulation <i>D. T. Valdez, A. Salapatek, G. Niznik, R. D. Linden, and N. E. Diamant</i>	G213
Electroneutral uptake and electrogenic secretion of a fluorescent bile salt by rat hepatocyte couplets <i>S. A. Weinman, J. Graf, C. Veith, and J. L. Boyer</i>	G220
Vagal regulation of gastric prostaglandin E ₂ release by central TRH in rats <i>M. Yoneda and Y. Taché</i>	G231
Regulation of exocrine pancreatic secretion by cerebral TRH and CGRP: role of VIP, muscarinic, and adrenergic pathways <i>B. Messmer, F. G. Zimmerman, and H. J. Lenz</i>	G237
Ursodeoxycholate mobilizes intracellular Ca ²⁺ and activates phosphorylase α in isolated hepatocytes <i>B. Bouscarel, H. Fromm, and R. Nussbaum</i>	G243
Role of calcium in chloride secretion mediated by cAMP pathway activation in rabbit distal colon mucosa <i>V. Calderaro, E. Chiosi, R. Greco, A. M. Spina, A. Giovane, L. Quagliuolo, L. Servillo, C. Balestrieri, and G. Illiano</i>	G252
Regulation of gastroduodenal emptying of solids by gastropyloroduodenal contractions <i>T. Haba and S. K. Sarna</i>	G261
Vasoactive intestinal polypeptide reduces hydrochloric acid-induced duodenal mucosal permeability <i>O. Nylander, E. Wilander, G. M. Larson, and L. Holm</i>	G272
Role of nitric oxide in gastric hyperemia induced by central vagal stimulation <i>T. Tanaka, P. Guth, and Y. Taché</i>	G280
Site density of mouse intestinal glucose transporters declines with age <i>R. P. Ferraris, J. Hsiao, R. Hernandez, and B. Hirayama</i>	G285

Role of carboxyl and sulfhydryl residues on rabbit small intestinal brush-border membrane Na ⁺ -glucose cotransporter <i>B. E. Pearce, M. Cedilote, and R. D. Clarke</i>	G294
Molecular mechanism of two noncompetitive inhibitors of Na ⁺ -glucose cotransporter: comparison of DCCD and PCMB <i>B. E. Pearce</i>	G300
Ontogeny of sucrase-isomaltase gene expression in rat intestine: responsiveness to glucocorticoids <i>N. N. Nanthakumar and S. J. Henning</i>	G306
Effect of epidermal growth factor on enterocyte brush-border surface area <i>J. A. Hardin, A. Buret, J. B. Meddings, and D. G. Gall</i>	G312
Bile salts and ileal calcium transport in rats: a neglected factor in intestinal calcium absorption <i>M.-S. Hu, L. H. Kayne, P. A. Willsey, A. B. Koteva, N. Jamgotchian, and D. B. N. Lee</i>	G319
Stilbenes stimulate T84 Cl ⁻ secretion by elevating Ca ²⁺ <i>D. J. Brayden, M. E. Krouse, T. Law, and J. J. Wine</i>	G325
Interplay of VIP and nitric oxide in regulation of the descending relaxation phase of peristalsis <i>J. R. Grider</i>	G334
Intestinal distension alters vagal efferent activity and small intestinal transport in vivo <i>X. Chu, X. Zhang, W. E. Renahan, W. H. Beierwaltes, and R. Fogel</i>	G341
Tyrosine kinase activities in the modulation of stimulated parietal cell acid secretion <i>Y. Tsunoda, I. M. Modlin, and J. R. Goldenring</i>	G351
Neural modulation of canine duodenal bile acid delivery in the interdigestive and postprandial periods <i>R. B. Scott and D. T. M. Tan</i>	G357
Polyamines are necessary for cell migration by a small intestinal crypt cell line <i>S. A. McCormack, M. J. Viar, and L. R. Johnson</i>	G367
Measurement of redox states of mitochondrial cytochrome aa ₃ in regions of liver lobule by reflectance microspectroscopy <i>S.-S. Chen, H. Yoshihara, N. Harada, A. Seiyama, M. Watanabe, H. Kosaka, S. Kawano, H. Fusamoto, T. Kamada, and T. Shiga</i>	G375
Intracellular free Mg ²⁺ with pH changes in cultured epithelial cells <i>G. A. Quamme</i>	G383
Paracrine control of gastric epithelial cell growth in culture by transforming growth factor- α <i>M. C. Chen, A. T. Lee, W. E. Karnes, D. Avedian, M. Martin, J. M. Sorvillo, and A. H. Soll</i>	G390

LETTERS TO THE EDITOR

To the Editor <i>A. Benedetti</i>	G397
--------------------------------------	------

ANNOUNCEMENTS	G398
---------------	------

No. 3. MARCH 1993

INVITED REVIEW

Receptor antagonists for gastrointestinal peptides <i>M. E. Presti and J. D. Gardner</i>	G399
---	------

Determinants of intrabolus pressure during esophageal peristaltic bolus transport <i>J. Ren, B. T. Massey, W. J. Dodds, M. K. Kern, J. G. Brasseur, R. Shaker, S. S. Harrington, W. J. Hogan, and R. C. Arndorfer</i>	G407
--	------

Effects of PACAP on morphologically identified myenteric neurons in guinea pig small bowel <i>F. L. Christofi and J. D. Wood</i>	G414
Protective action of oral <i>N</i> -acetylcysteine against gastric injury: role of hypertonic sodium <i>J. C. Barreto, G. S. Smith, M. S. Tornwall, and T. A. Miller</i>	G422
Effect of aging and bolus variables on pharyngeal and upper esophageal sphincter motor function <i>R. Shaker, J. Ren, B. Podursan, W. J. Dodds, W. J. Hogan, M. Kern, R. Hoffmann, and J. Hintz</i>	G427
Action of pituitary adenylate cyclase-activating polypeptide on ion transport in guinea pig distal colon <i>A. Kuwahara, Y. Kuwahara, T. Mochizuki, and N. Yanaihara</i>	G433
Elevation of cAMP facilitates noradrenergic transmission in submucous neurons of guinea pig ileum <i>D. H. Zafirov, H. J. Cooke, and J. D. Wood</i>	G442
Age-related differences in intestinal microvascular responses to low-flow states in adult and suckling rats <i>J. R. Gosche, P. D. Harris, and R. N. Garrison</i>	G447
Adenosine and 5-HT inhibit substance P release from nerve endings in myenteric ganglia by distinct mechanisms <i>R. M. Broad, T. J. McDonald, and M. A. Cook</i>	G454
Mechanism of bile acid-induced biliary lipid secretion in the rat: effect of conjugated bilirubin <i>H. J. Verkade, R. Havinga, A. Gerding, R. J. Vonk, and F. Kuipers</i>	G462
Activation of distinct cAMP- and cGMP-dependent pathways by relaxant agents in isolated gastric muscle cells <i>J.-G. Jin, K. S. Murthy, J. R. Grider, and G. M. Makhlof</i>	G470
Hepatic taurocholate uptake is electrogenic and influenced by transmembrane potential difference <i>S. D. Lidofsky, J. G. Fitz, R. A. Weisiger, and B. F. Scharschmidt</i>	G478
Cerebral-evoked potential responses following direct vagal and esophageal electrical stimulation in humans <i>G. Tougas, P. Hudoba, D. Fitzpatrick, R. H. Hunt, and A. R. M. Upton</i>	G486
Bradykinin-induced mesenteric vasodilation is mediated by B ₂ -subtype receptors and nitric oxide <i>R. Berguer, O. D. Hottenstein, T. E. Palen, J. M. Stewart, and E. D. Jacobson</i>	G492
Distribution and abundance of neutral endopeptidase (EC 3.4.24.11) in the alimentary tract of the rat <i>N. W. Bunnett, V. Wu, C. Sternini, J. Klinger, E. Shimomaya, D. Payan, R. Kobayashi, and J. H. Walsh</i>	G497
Vitamin A metabolism in rat liver: a kinetic model <i>M. H. Green, J. B. Green, T. Berg, K. R. Norum, and R. Blomhoff</i>	G509
Thyrotropin-releasing hormone: an inhibitory regulatory peptide of feline lower esophageal sphincter <i>H. P. Parkman, J. C. Reynolds, C. P. Ogorek, and M. S. Kreider</i>	G522
Na ⁺ -dependent bile acid transport by hepatocytes is mediated by a protein similar to microsomal epoxide hydrolase <i>P. von Dippe, M. Amoui, C. Alves, and D. Levy</i>	G528
Prostanoid release by Kupffer cells upon hypoxia-reoxygenation: role of pH _i and Ca ²⁺ _i <i>M. Gyenes and H. de Groot</i>	G535
Kinetic analysis of rat parotid gland muscarinic receptors in vivo: comparison with brain and heart <i>Y. Hiramatsu, R. Kawai, R. C. Reba, T. R. Simon, B. J. Baum, and R. G. Blasberg</i>	G541
Expression and processing of prohormones in nonendocrine cells <i>C. J. Dickinson, T. Takeuchi, Y.-J. Guo, B. T. Stadler, and T. Yamada</i>	G553
Effect of dietary lipid peroxides on metabolism of serum chylomicrons in rats <i>I. Staprāns, X.-M. Pan, M. Miller, and J. H. Rapp</i>	G561

Effect of intracellular acidification on colonic NaCl absorption <i>P. C. Dagher, R. W. Egnor, and A. N. Charney</i>	G569
Oleic acid-induced mucosal injury in developing piglet intestine <i>O. R. Velasquez, K. Henninger, M. Fowler, P. Tso, and K. D. Crissinger</i>	G576
Control of gastric corpus chromogranin A messenger RNA abundance in the rat <i>R. Dimaline, D. Evans, E. R. Forster, A. K. Sandvik, and G. J. Dockray</i>	G583

No. 4. APRIL 1993

INVITED REVIEW

Type I collagen gene regulation and the molecular pathogenesis of cirrhosis <i>D. A. Brenner, J. Westwick, and M. Breindl</i>	G589
--	------

Motor cycles with phase III in antrum are associated with high motilin levels and prolonged gallbladder emptying <i>M. F. J. Stolk, K. J. van Erpecum, A. J. P. M. Smout, L. M. A. Akkermans, J. B. M. J. Jansen, C. B. H. W. Lamers, T. L. Peeters, and G. P. Vanberge-Henegouwen</i>	G596
Prostaglandin E ₂ downregulates Kupffer cell production of IL-1 and IL-6 during hepatic regeneration <i>J. A. Goss, M. J. Mangino, M. P. Callery, and M. W. Flye</i>	G601
Reconstitution of intestinal Na ⁺ -phosphate cotransporter <i>B. E. Pearce, M. Cedilote, S. Seifert, R. Levine, C. Kiesling, and R. D. Clarke</i>	G609
Intestinal permeability in allergic rats: nerve involvement in antigen-induced changes <i>S. E. Crowe, K. Soda, A. M. Stanisz, and M. H. Perdue</i>	G617
Age-related changes in gallbladder contractility and cytoplasmic Ca ²⁺ concentration in the guinea pig <i>J. Ishizuka, M. Murakami, G. A. Nichols, C. W. Cooper, G. H. Greeley, Jr., and J. C. Thompson</i>	G624
Effect of inhibitors of gastric secretion on polarization of gastric potential by voltage clamping <i>G. Carrasquer, J.-Y. Zhang, X. Wu, W. S. Rehm, and M. Schwartz</i>	G630
Stimulus-associated protein in gastric parietal cell detected using antimelectin antibody <i>J. Cuppoletti, P. Huang, M. A. Kaetzel, and D. H. Malinowska</i>	G637
The computer as referee in the analysis of human small bowel motility <i>M. J. Benson, F. D. Castillo, D. L. Wingate, J. Demetropoulos, and N. M. Spyrou</i>	G645
Kainic acid injection into medullary raphe produces gastric lesions through the vagal system in rats <i>T. Okumura, A. Uehara, Y. Taniguchi, Y. Watanabe, K. Tsuji, S. Kitamori, and M. Namiki</i>	G655
Duodenal lipid inhibits gastric acid secretion by vagal, capsaicin-sensitive afferent pathways in rats <i>K. C. K. Lloyd, H. H. Hölzer, T. T. Zittel, and H. E. Raybould</i>	G659
Adenosine is a mediator of ethanol-induced gastric vasodilation in dogs <i>J. G. Wood, M. P. Darnell, and L. Y. Cheung</i>	G664
Defective modulation of colonic secretomotor neurons in a rabbit model of colitis <i>J. M. Goldhill, R. Burakoff, V. Donovan, K. Rose, and W. H. Perçy</i>	G671
Functional difference between SP and NKA: relaxation of gastric muscle by SP is mediated by VIP and NO <i>J.-G. Jin, S. Misra, J. R. Grider, and G. M. Makhoulouf</i>	G678
Continuous measurement of rat gastric blood flow using Doppler flowmeter <i>J. Koerfer, P. Bauerfeind, D. Armstrong, and A. L. Blum</i>	G686
Different relationships between cellular ATP and hepatic uptake among taurocholate, cholate, and organic anions <i>M. Yamazaki, H. Suzuki, M. Hanano, and Y. Sugiyama</i>	G693

Involvement of cAMP and cGMP in relaxation of internal anal sphincter by neural stimulation, VIP, and NO <i>S. Chakder and S. Rattan</i>	G702
β -Adrenergic inhibition of electrical and mechanical activity in canine colon: role of cAMP <i>T. K. Smith, S. M. Ward, L. Zhang, I. L. O. Buxton, W. T. Gerthoffer, K. M. Sanders, and K. D. Keef</i>	G708
Gastrin and CCK activate phospholipase C and stimulate pepsinogen release by interacting with two distinct receptors <i>J.-M. Qian, W. H. Rowley, and R. T. Jensen</i>	G718
Exocrine interstitial insulin and somatostatin in the perfused dog pancreas <i>A. Nakagawa, E. Samols, and J. I. Stagner</i>	G728
Downregulation of neutral endopeptidase (EC 3.4.24.11) in the inflamed rat intestine <i>L. Hwang, R. Leichter, A. Okamoto, D. Payan, S. M. Collins, and N. W. Bunnett</i>	G735
pH-dependent nonlysosomal proteolysis contributes to lethal anoxic injury of rat hepatocytes <i>S. F. Bronk and G. J. Gores</i>	G744
Asialoglycoprotein receptor mRNAs are expressed in most extrahepatic rat tissues during development <i>J.-Z. Mu, L.-H. Tang, and D. H. Alpers</i>	G752
Effects of autonomic antagonists and growth factors on activity-mediated hyperplasia of rat parotid <i>C. A. Schneyer, M. G. Humphreys-Beher, D. Jirakulsomchok, and H. D. Hall</i>	G763
Hepatic intracellular pH during the prereplicative period following partial hepatectomy <i>D. G. Le Couteur, L. P. Rivory, and S. M. Pond</i>	G767
Chloride channels in myocytes from rabbit colon are regulated by a pertussis toxin-sensitive G protein <i>X. P. Sun, S. Supplisson, and E. Mayer</i>	G774
Pilocarpine and carbachol exhibit markedly different patterns of Ca^{2+} signaling in rat pancreatic acinar cells <i>D. I. Yule, T. E. Essington, and J. A. Williams</i>	G786
Circadian rhythm of exocrine pancreatic secretion in rats: major and minor cycles <i>D. Maouyo, P. Sarfati, D. Guan, J. Morisset, and J. W. Adelson</i>	G792
Complement activates Kupffer cells and neutrophils during reperfusion after hepatic ischemia <i>H. Jaeschke, A. Farhood, A. P. Bautista, Z. Spolarics, and J. J. Spitzer</i>	G801

No. 5. MAY 1993

Distinct receptors for cholecystokinin and gastrin on canine fundic D-cells <i>J. DelValle, T. Chiba, J. Park, and T. Yamada</i>	G811
Inhibition of gastric acid secretion by oxyntomodulin and its 19—37 fragment in the conscious rat <i>C. Jarrousse, C. Carles-Bonnet, H. Niel, R. Sabatier, M.-P. Audoussert-Puech, P. Blache, A. Kervran, J. Martinez, and D. Bataille</i>	G816
Effect of varying the rate and pattern of gastric distension on its sensory perception and motor activity <i>M. I. Khan, N. W. Read, and D. Grundy</i>	G824
Attenuation of endotoxin-induced intestinal microcirculatory damage by eicosapentanoic acid <i>S. Miura, H. Imaeda, H. Shiozaki, I. Kurose, D. Fukumura, H. Tashiro, H. Serizawa, M. Suematsu, E. Sekizuka, and M. Tsuchiya</i>	G828
Protection against hydrophobic bile salt-induced cell membrane damage by liposomes and hydrophilic bile salts <i>H. Sagawa, S. Tazuma, and G. Kajiyama</i>	G835
Multiple kinases phosphorylate the pancreatic cholecystokinin receptor in an agonist-dependent manner <i>L. K. Gates, C. D. Ulrich, and L. J. Miller</i>	G840

Inhibition of VIP-stimulated ion transport by a novel Y-receptor phenotype in rabbit distal colon <i>G. H. Ballantyne, J. R. Goldenring, F. X. Fleming, S. Rush, J. S. Flint, L. P. Fielding, H. J. Binder, and I. M. Modlin</i>	G848
Cecal fermentations in rats fed oligosaccharides (inulin) are modulated by dietary calcium level <i>C. Révész, M.-A. Levrat, L. Gamet, and C. Demigné</i>	G855
Secretin receptors mediating rat forestomach relaxation <i>T. S. Steiner, A. W. Mangel, D. C. McVey, and S. R. Vigna</i>	G863
Capsaicin treatment blocks development of hyperkinetic circulation in portal hypertensive and cirrhotic rats <i>S. S. Lee and K. A. Sharkey</i>	G868
Cl-HCO ₃ and Cl-OH exchanges mediate Cl uptake in apical membrane vesicles of rat distal colon <i>V. M. Rajendran and H. J. Binder</i>	G874
Hepatocyte horseradish peroxidase uptake is saturable and inhibited by mannose-terminal glycoproteins <i>Y. Yamaguchi, E. Dalle-Molle, and W. G. M. Hardison</i>	G880
Biological activity of metabolites of PGD ₂ on canine proximal colon <i>P. K. Rangachari and P.-A. Betti</i>	G886
Effects of valinomycin on osmotic lysis of zymogen granules and amylase exocytosis from parotid acini <i>T. Takuma, T. Ichida, K. Okumura, Y. Sasaki, and M. Kanazawa</i>	G895
Differential neural regulation of circulating somatostatin-14 and somatostatin-28 in conscious dogs <i>G. R. Greenberg</i>	G902
Characteristics of basolateral Cl ⁻ transport by gastric surface epithelium in <i>Necturus</i> antral mucosa <i>D. I. Soybel, M. B. E. Davis, and L. Y. Cheung</i>	G910
Adaptive cytoprotection in the small intestine: role of mucus <i>G. Cepinskas, R. D. Specian, and P. R. Kvietys</i>	G921
Gastric axial forces in experimentally delayed and accelerated gastric emptying <i>C. M. Prather, M. Camilleri, G. M. Thomforde, L. A. Forstrom, and A. R. Zinsmeister</i>	G928
Mitogenic activity of rat salivary glands after electrical stimulation of parasympathetic nerves <i>C. A. Schneyer, M. G. Humphreys-Beher, H. D. Hall, and D. Jirakulsomchok</i>	G935
Regulation of taurine transport in human colon carcinoma cell lines (HT-29 and Caco-2) by protein kinase C <i>M. Brandsch, Y. Miyamoto, V. Ganapathy, and F. H. Leibach</i>	G939
Retinol release by activated rat hepatic lipocytes: regulation by Kupffer cell-conditioned medium and PDGF <i>S. L. Friedman, S. Wei, and W. S. Blaner</i>	G947
GABA mediation of the dual effects of somatostatin on guinea pig ileal myenteric cholinergic transmission <i>D. J. Roberts, W. L. Hasler, and C. Owyang</i>	G953
Glucagon induces biliary protein excretion in guinea pigs <i>R. Lenzen and N. Tavaloni</i>	G961
Inhibition of IP ₃ and IP ₃ -dependent Ca ²⁺ mobilization by cyclic nucleotides in isolated gastric muscle cells <i>K. S. Murthy, C. Severi, J. R. Grider, and G. M. Makhlouf</i>	G967
Role of nitric oxide as an inhibitory neurotransmitter in the canine pyloric sphincter <i>O. Bayguinov and K. M. Sanders</i>	G975
Pancreatic acini possess endothelin receptors whose internalization is regulated by PLC-activating agents <i>P. Hildebrand, J. E. Mrozinski, Jr., S. A. Mantey, R. J. Patto, and R. T. Jensen</i>	G984
Adaptive cytoprotection of the rat duodenum is not dependent on nitric oxide-induced changes in blood flow <i>A. Lugea, A. Salas, F. Guarner, and J.-R. Malagelada</i>	G994

No. 6. JUNE 1993

- Lipid peroxidation of the brush-border membrane: membrane physical properties and glucose transport
D. Jourdain, P. Vaananen, and J. B. Meddings G1009
- An anion exchanger mediates bile acid transport across the placental microvillous membrane
R. Dumaswala, K. D. R. Setchell, M. S. Moyer, and F. J. Suchy G1016
- Changes in colonic motility following abdominal irradiation in dogs
R. W. Summers and B. Hayek G1024
- Calcium-dependent regulation of cholecystokinin secretion and potassium currents in STC-1 cells
A. W. Mangel, N. D. Snow, M. A. Misukonis, S. Basavappa, J. P. Middleton, J. G. Fitz, and R. A. Liddle G1031
- Vitamin D-sensitive and quinacrine-sensitive zinc transport in human intestinal cell line Caco-2
J. C. Fleet, A. J. Turnbull, M. Bourcier, and R. J. Wood G1037
- Enteral nutrients promote postnatal maturation of intestinal motor activity in preterm infants
C. L. Berseth and C. Nordyke G1046
- Importance of high-density lipoprotein-phosphatidylcholine in secretion of phospholipid and cholesterol in bile
I. Portal, T. Clerc, V. Sbarra, H. Portugal, A.-M. Pauli, H. Lafont, B. Tuchweber, I. Yousef, and F. Chanussot G1052
- Dietary protein paradox: decrease of amino acid availability induced by high-protein diets
C. Moundras, C. Remesy, and C. Demigne G1057
- Voltage-dependent calcium channel current in isolated gallbladder smooth muscle cells of guinea pig
T. Shimada G1066
- Antral volume and propulsion-retropulsion in response to upper intestinal nutrients in a canine model
D. Kumar, E. L. Ritman, and J.-R. Malagelada G1077
- Portal transport of long acyl chain lipids: effect of phosphatidylcholine and low infusion rates
C. M. Mansbach II and R. F. Dowell G1082
- Posttranslational inhibition of Ito cell type I collagen production by triiodothyronine
T. W. Lissos, D. W. A. Beno, and B. H. Davis G1090
- Mucin secretion by T84 cells: stimulation by PKC, Ca²⁺, and a protein kinase activated by Ca²⁺ ionophore
G. Forstner, Y. Zhang, D. McCool, and J. Forstner G1096
- Effects of selective zonal injury on bile acid-induced bile flow in the isolated rat liver
M. J. Monte, M. D. Badia, F. Palomero, M. Y. El-Mir, J. R. Alonso, and J. J. G. Marin G1103
- Relations among intragastric pressure, postcibal perception, and gastric emptying
G. Moragas, F. Azpiroz, J. Pavia, and J.-R. Malagelada G1112
- Transepithelial transport of cholytaurine by Caco-2 cell monolayers is sodium dependent
C. E. Chandler, L. M. Zaccaro, and J. B. Moberly G1118
- Intestinal adaptation during lactation in the mouse. II. Altered intestinal processing of a dietary protein
P. R. Harmatz, P. W. Carrington, V. Giovino-Barry, R. A. Hatz, and K. J. Bloch G1126
- Gastric vagal-evoked and greater splanchnic-evoked unitary responses in the hypothalamus
W. D. Barber and C.-S. Yuan G1133

Structural analysis of CGRP receptors on gastric smooth muscle and pancreatic acinar cells <i>T. Honda, Z.-C. Zhou, Z.-F. Gu, Y. Kitsukawa, J. E. Mrozinski, Jr., and R. T. Jensen</i>	G1142
Dietary regulation of rat intestinal angiotensin-converting enzyme and dipeptidyl peptidase IV <i>Y. Suzuki, R. H. Erickson, A. Sedlmayer, S.-K. Chang, Y. Ikehara, and Y. S. Kim</i>	G1153
Altered expression of sodium pump isoforms in the inflamed intestine of <i>Trichinella spiralis</i> -infected rats <i>I. Khan and S. M. Collins</i>	G1160
Sequence, tissue distribution, and functional characterization of the rat fructose transporter GLUT5 <i>E. B. Rand, A. M. Depaoli, N. O. Davidson, G. I. Bell, and C. F. Burant</i>	G1169
Effects of cholecystokinin on cytosolic calcium in pancreatic duct segments and ductal cells <i>J. P. Smith, R. V. Yelamarty, S. T. Kramer, and J. Y. Cheung</i>	G1177

RAPID COMMUNICATION

Activation of whole cell currents in isolated human jejunal circular smooth muscle cells by carbon monoxide <i>G. Farrugia, W. A. Irons, J. L. Rae, M. G. Sarr, and J. H. Szurszewski</i>	G1184
<i>Subject Index to Volume 27</i>	G1191
<i>Author Index to Volume 27</i>	G1203